

**REGULAR MEETING/HEARING AGENDA**  
**AIR QUALITY ADVISORY COUNCIL**  
**October 14, 2015, 9:00 a.m.**  
**Department of Environmental Quality**  
**707 North Robinson Avenue**  
**Oklahoma City, OK**

*Please turn off cell phones*

1. **Call to Order** - Sharon Myers, Chair
2. **Roll Call** - Quiana Fields
3. **Approval of Minutes** - June 10, 2015 Regular Meeting
4. **Meeting Schedule for Calendar Year 2016** - Discussion and action by Council
5. **Public Rulemaking Hearing**

**A. OAC 252:100-7. Permits for Minor Facilities [NEW]**

The Department is proposing to modify OAC 252:100-7, Permits for Minor Facilities, to add a new Permit By Rule (PBR) for emergency engine facilities. The PBR would simplify the permitting process for facilities whose only obligation to obtain a permit is due to the presence of an emergency engine that is subject to a federal standard. Also, the Department proposes to exempt schools and single family residences from the requirement to obtain a permit for an emergency engine.

1. Presentation - Cooper Garbe, Environmental Programs Specialist (EPS), Rules & Planning Section, AQD
2. Questions and discussion by the Council
3. Questions, comments and discussion by the public
4. Discussion and possible action by the Council

**B. OAC 252:100-5. Registration, Emission Inventory and Annual Operating Fees [AMENDED]**

The Department is proposing to amend OAC 252:100-5, Registration, Emission Inventory and Annual Operating Fees, for consistency with the U.S. Environmental Protection Agency (EPA) Air Emission Reporting Requirements contained in Subpart A of 40 CFR Part 51. The Department proposes to revise Section 5-2.1 to require the submittal of an emission inventory by these facilities when required by the federal point source reporting thresholds.

1. Presentation - Dr. Joyce Sheedy, Engineer Intern, Rules & Planning Section, AQD
2. Questions and discussion by the Council
3. Questions, comments and discussion by the public
4. Discussion and possible action by the Council

**C. OAC 252:100-9. Excess Emission Reporting Requirements [AMENDED]**

The Department is proposing to amend OAC 252:100-9, Excess Emission Reporting Requirements, to comply with federal requirements for Startup, Shutdown and Malfunction (SSM) as published in the *Federal Register* by the EPA on June 12, 2015 (80 FR 33840), and to conform with EPA's restated and updated SSM policy applicable to SIPs.

1. Presentation - Brooks Kirlin, P.E., Rules & Planning Section, AQD
2. Questions and discussion by the Council
3. Questions, comments and discussion by the public
4. Discussion and possible action by the Council

**D. OAC 252:100-2. Incorporation By Reference [AMENDED]  
Appendix Q. Incorporation By Reference [REVOKED]  
Appendix Q. Incorporation By Reference [NEW]**

The Department is proposing to update OAC 252:100, Appendix Q, Incorporation By Reference, to incorporate the latest changes to EPA regulations. In addition, the Department is proposing to update language in Subchapter 2, Incorporation By Reference, to reflect the latest date of incorporation of EPA regulations in Appendix Q.

1. Presentation - Nancy Marshment, EPS, Rules & Planning Section, AQD
2. Questions and discussion by the Council
3. Questions, comments and discussion by the public
4. Discussion and possible action by the Council

**6. Presentation - "What's Up?" in Air Monitoring**

**Introduction** – Kent Stafford, Environmental Programs Manager, Monitoring Section

- A. Village Green Project** - Ryan Biggerstaff, EPS, Monitoring Section
- B. Near-Road Monitoring** - Curt Goeller, EPS, Monitoring Section
- C. Solar-Powered Monitoring Site** - Greg Crider, EPS, Monitoring Section
- D. Ozone Update** - Curt Goeller, EPS, Monitoring Section

**7. Division Director's Report** - Eddie Terrill

**8. New Business** - Any matter not known about or which could not have been reasonably foreseen prior to the time of posting the agenda.

**9. Adjournment** - The next regular meeting is tentatively scheduled for Wednesday, January 20, 2016 in Oklahoma City, Oklahoma.

Should you have a disability and need an accommodation, please notify the DEQ Air Quality Division three days in advance at 405-702-4172. Hearing impaired persons may call the text telephone (TDD) Relay Number at 1-800-722-0353 for TDD machine use only.